



HeusTractors

Stougjesdijk 153 3271 KB

Mijnsheerenland NL

info@heustractors.com

+31 (0) 186 61 2333

XCMG XE220E

Fitted as standard with:



- Cummins B6.7
- 129 kW (173 hp) power at 2200 rpm
- Kawasaki KPM hydraulic system
- Ergonomic proportional joystick controls
- 8-inch TFT LCD colour display
- Eight working modes and three power modes
- Spacious, ISO-certified cab
- Fully adjustable heated air-suspension seat
- Automatic air conditioning
- Rear and side cameras
- Powerful LED lighting
- Anti-slip steps and platforms
- Dual fuel filters
- Shock absorbers with internal damping springs

€0.00

Specifications

DIMENSIONS

Cabin width	2830
Counterweight free space	1067
Cradle base	3650
Ground clearance	485
Height of tracks	925
Height to top of roof	2985
Max. Digging depth	6680
Max. Digging height	9620
Max. Tipping height	6780
Max. Vertical digging depth	5715
Max. excavation radius	9940
Min. forcing radius	3530
Overall length with bin	9640
Overall width	2990
Platform width	2990
Track width	2390
Width of tracks	600

ENGINE

Cooling	Liquid
Rated speed	2200

HYDRAULIC SYSTEM

Driving system pressure	323
Main pressure safety valve	370
Main pump output	220
Steering pressure	39
Swing system pressure	275

OTHER

Diesel tank	400
Engine oil capacity	24
Hydro tank	150

TECHNICAL SPECIFICATIONS

Arm digging force	111
Ground pressure	48
Max traction force	214
Max. Digging force	149
Rotation speed	11.8

WEIGHT

Own weight	23500
------------	-------

Pictures



