



HeusTractors

Stougjesdijk 153 3271 KB

Mijnsheerenland NL

info@heustractors.com

+31 (0) 186 61 2333



EUROTRAC W11 L LONG WHEELBASE

The Eurotrac W11-L for agricultural and industrial use.

Fitted as standard with:

- 3-cylinder Kubota D1105
- Extended wheelbase
- Joystick controls
- Twin lift cylinders
- Additional hydraulic function with lock
- Hydraulic quick-change system
- Hydrostatic drive
- Work light / Rotating beacon / LED lights
- Tyre size 26×12-12AS

€22,850.00

Specifications

DIMENSIONS

Bin pivot	430
Cradle base	1485
Digging depth	183
Ejection height	1694
Ground clearance	174
Height to top of roof	2220
Inside turning circle	1110
Loading height	2238
Max. lifting height	2556
Outer diameter	2690
Overall length with bin	3878
Overall length without bin	3068
Overall width	1110
Range (m)	482
Rear overhang	1062
Rotation angle	43
Seat height	1128
Tilt-in angle	50
Tilting angle at max. lifting height	49
Tipping angle	43
Total working height	3440
Track width	803
Turning circle	2390

ELECTRICAL INFORMATION

Battery capacity	60
Electric system	12 V

ENGINE

Cooling	Liquid
Engine power	26

HYDRAULIC SYSTEM

Oil yield	32
Workload	180 bar

**HYDRAULIC SYSTEM
OTHER**

Diesel tank	26
Hydro tank	40

WEIGHT

Lifting frame horizontal & machine straight	1650
Lifting frame horizontal & machine tilted	1200 kg
Max. Lifting capacity	1400
Own weight	1930

Pictures







