HeusTractors
Stougjesdijk 153 3271 KB
Mijnsheerenland NL
info@heustractors.com
+31 (0) 186 61 2333

EUROTRAC W11 CL LONG WHEELBASE



The Eurotrac W11-CL for agricultural and industrial use.

Fitted as standard with:

- 3-cylinder Kubota D1105
- Extended wheelbase
- Joystick controls
- Twin cylinders on mast
- Additional hydraulic function with lock
- Hydraulic quick-change system
- Hydrostatic drive
- Work light / Rotating beacon / LED lights
- Tyre size 26×12-12AS

€24,050.00

Specifications

ELECTRICAL INFORMATION

Electric system	12 V

ENGINE

Cooling	Liquid
Engine power	26

HYDRAULIC SYSTEM


Oil yield	32
Workload	180 bar

OTHER

Diesel tank	26
Hydro tank	40

WEIGHT	
Lifting frame horizontal & machine straight	1600
Lifting frame horizontal & machine tilted	1200 kg
Max. Lifting capacity	1850
Own weight	2050

Technical drawing



(A) Overall length with bin	3878
(B) Overall length without bin	3068
(C) Bin pivot	430
(D) Cradle base	1485
(E) Rear overhang	1062
(F) Height to top of roof	2220
(H) Seat height	1128
(J) Total working height	3440
(K) Max. lifting height	2550
(L) Loading height	2238
(M) Ejection height	1694
(N) Range (m)	482
(O) Digging depth	183
(P) Overall width	1110
(Q) Track width	803
(S) Ground clearance	174
(T) Outer diameter	2690
(U) Turning circle	2390
(V) Inside turning circle	1100
(W) Rotation angle	43
(X) Tilting angle at max. lifting height	49
(Y) Tipping angle	43
(Z) Tilt-in angle	50

Pictures


















LED LAMP
LED LAMP


Eurorac


LED LAMP
Eurorac






W11

















Eurotrac



