



HeusTractors

Stougjesdijk 153 3271 KB

Mijnsheerenland NL

info@heustractors.com

+31 (0) 186 61 2333

EUROTRAC T13 CF

The Eurotrac T13-CF telescopic loader unique in its class

Fitted as standard with:

- Joystick control
- Extra hydr. function on joystick
- Hydr. quick coupler
- Hydrostatic with 2 travel speeds
- Hub reduction with limited slip differential
- Overload safety system with monitor
- Wide tyres: 19.0/45-1

€45,850.00

Specifications

ELECTRICAL INFORMATION

Battery capacity	72
Electric system	12 V

ENGINE

Cooling	Liquid
Engine power	50

HYDRAULIC SYSTEM

Oil yield	52
Workload	184 bar


OTHER

Diesel tank	60
Hydro tank	80

WEIGHT

Lifting frame horizontal & machine straight	1520
Lifting frame horizontal & machine tilted	1200 kg
Max. Lifting capacity	1790
Own weight	3300

Technical drawing



(A) Overall length with bin	4850
(B) Overall length without bin	4000
(C) Bin pivot	660
(D) Cradle base	1860
(E) Rear overhang	1250
(F) Height to top of roof	2340
(H) Seat height	1370
(J) Total working height	4280
(K) Max. lifting height	3550
(L) Loading height	3240
(M) Ejection height	2745
(N) Range (m)	1100
(O) Digging depth	20
(P) Overall width	1560
(Q) Track width	1110
(S) Ground clearance	290
(T) Outer diameter	3490
(U) Turning circle	2925
(V) Inside turning circle	1642
(W) Rotation angle	45
(X) Tilting angle at max. lifting height	31
(Y) Tipping angle	32
(Z) Tilt-in angle	32

Pictures



